

FASENRA IS APPROVED AS AN ADD-ON MAINTENANCE TREATMENT FOR PATIENTS 12 AND OLDER WITH SEVERE EOSINOPHILIC ASTHMA.

DISCUSSING FASENRA WITH YOUR ASTHMA SPECIALIST

Take these questions to your next appointment with your asthma specialist, so you can both decide if FASENRA may be right for you.

How to use this discussion guide:

1. **Fill out** the “Your asthma symptoms and medications” section below.
2. **Bring this** to your next appointment with your asthma specialist.
3. **Ask** your asthma specialist if FASENRA may be right for you.

YOUR ASTHMA SYMPTOMS AND MEDICATIONS

Check the box(es) below if you have:

- Used rescue inhalers more than 2 days per week to control your asthma symptoms
- Taken oral steroids like prednisone for your asthma in the last 12 months
- Experienced an asthma attack that required emergency room medical care in the last 12 months

What are your current asthma medications and how often do you take them?

Medication	Dose	Dosing frequency (eg, once a day)

QUESTIONS FOR YOUR ASTHMA SPECIALIST

- Could eosinophils be a cause of my asthma? _____
- Can I get a blood test today to measure my eosinophil count? _____
- How can FASENRA affect eosinophils? _____
- How might FASENRA treat my asthma? _____
- How do I start on FASENRA? _____
- What are some of the side effects of FASENRA I should know about? _____

FASENRA is not used to treat other problems caused by eosinophils. FASENRA is not used to treat sudden breathing problems.

Don't forget to bring this to your next appointment with your asthma specialist.

IMPORTANT SAFETY INFORMATION

-  **Do not receive FASENRA** if you are allergic to benralizumab or any of the ingredients in FASENRA.
Do not use to treat sudden breathing problems.

FASENRA may cause serious side effects, including:

-  • **allergic (hypersensitivity) reactions, including anaphylaxis.**

 **Please see additional safety information on next page and click for full [Prescribing Information](#) and [Patient Information](#).**

IMPORTANT SAFETY INFORMATION (continued)

- ⓘ Serious allergic reactions can happen after you get your FASENRA injection. Allergic reactions can sometimes happen hours or days after you get your injection. Tell your healthcare provider or get emergency help right away if you have any of the following symptoms of an allergic reaction:
- swelling of your face, mouth and tongue
 - breathing problems
 - fainting, dizziness, feeling lightheaded (low blood pressure)
 - rash
 - hives

Before receiving FASENRA, tell your healthcare provider about all of your medical conditions, including if you:

- are taking oral or inhaled corticosteroid medicines. **Do not** stop taking your corticosteroid medicines unless instructed by your healthcare provider. This may cause other symptoms that were controlled by the corticosteroid medicine to come back.
 - have a parasitic (helminth) infection.
 - are pregnant or plan to become pregnant. It is not known if FASENRA will harm your unborn baby. Tell your healthcare provider if you become pregnant during your treatment with FASENRA.
 - are breastfeeding or plan to breastfeed. It is not known if FASENRA passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby if you receive FASENRA.
 - are taking prescription and over-the-counter medicines, vitamins, and herbal supplements.
- ⊘ **Do not** stop taking your other asthma medicines unless instructed to do so by your healthcare provider.
- ⓘ **The most common side effects of FASENRA include:** headache and sore throat. These are not all the possible side effects of FASENRA.

APPROVED USE

- ✓ FASENRA is a prescription medicine used with other asthma medicines for the maintenance treatment of asthma in people 12 years and older whose asthma is not controlled with their current asthma medicines. FASENRA helps prevent severe asthma attacks (exacerbations) and may improve your breathing. Medicines such as FASENRA reduce blood eosinophils. Eosinophils are a type of white blood cell that may contribute to your asthma.

FASENRA is not used to treat other problems caused by eosinophils and is not used to treat sudden breathing problems. Tell your health care provider if your asthma does not get better or if it gets worse after you start treatment with FASENRA

It is not known if FASENRA is safe and effective in children under 12 years of age.

- ⓘ *You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.*

- 📄 **Click for full [Prescribing Information](#) and [Patient Information](#).**



FASENRA is a trademark of the AstraZeneca group of companies.

©2017 AstraZeneca.

All rights reserved.

US-12912

Last Updated 11/17